

Brava® Adhesive Remover Spray

25. February 2015
Version 3.0

Safety Data Sheet

Based on template version 2.0

Section 1

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name:	Brava® Adhesive Remover Spray
Product code:	12010
Product description:	Aerosol Dispenser
Net Content	50 ml (~40 g)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product information:	Medical device, Class I. Aerosol dispenser used for removal of adhesive medical devices from skin.
----------------------	---

1.3 Details of the supplier of the safety data sheet:

Manufacturer:	Coloplast A/S Holtedam 1 DK-3050 Humlebaek Denmark Telephone +45 49111111 msds@coloplast.com
---------------	---

1.4 Emergency telephone number:

(DK)	+45 82 12 12 12
(US)	1-800-222-1222
(CA)	1-877-820-7008

Section 2

Hazards identification

This product is regulated as a medical device in European Economic Area (EEA). In other regions it may be regulated as a medical device, a cosmetic or not regulated. The product is assessed and supplied with a safety data sheet in accordance with Regulation (EC) no 1272/2008. Labelling of the

USA

Coloplast Corp.
1601 West River Road N
Minneapolis, MN 55411
Telephone: +1-800-533-0464
www.us.coloplast.com

Canada

Coloplast Canada Corporation
3300 Ridgeway Drive, Unit 12
Mississauga, Ont. L5L 5Z9
Telephone: +1-877-820-7008
www.coloplast.ca

Europe

Coloplast A/S
Holtedam 1
DK-3050 Humlebaek
Telephone: +45 49 11 11 11
www.coloplast.com

Brava® Adhesive Remover Spray

product is prepared in accordance with Directive 93/42/EEC on medical devices and local legislation.

2.1 Classification of the substance or mixture

Classification according to Regulation (EC)
No 1272/2008:
Flam. Aer. 1;H222 Aquatic Acute 1;H400

Wording of H-statements – see section 16.

2.2. Label elements

The product is a medical device in EAA and therefore the labelling elements from the CLP regulations do not apply, according to Regulation (EC) No 1272/2008, Title I, Article 1, Section 5.

The below illustrated pictograms, signal words and hazard statements are therefore only listed in the present MSDS and not necessarily present on the product labelling.

Pictogram(s):

Signal word:



Danger

Hazard statement(s):

H222: Extremely flammable aerosol.

H400: Very toxic to aquatic life.

Precautionary statement(s):

P102: Keep out of reach of children.

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P211: Do not spray on an open flame or other ignition source.

P251: Pressurized container: Do not pierce or burn, even after use.

P273: Avoid release to the environment.

P410 + P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards:

Pressurized container: May burst if heated.

PBT/vPvB: No ingredients are PBT/vPvB, according to the criteria in REACH Annex XIII.

Other labeling

H229: Pressurized container: May burst if heated.

According to Council Directive 75/324/EEC on the approximation of the laws of the Member States relating to Aerosol Dispensers:

Brava® Adhesive Remover Spray



Compliance with Aerosol Dispenser Directive 75/324/EEC

Section 3 Composition/information on ingredients

3.2 Mixtures

The main ingredients are:

w/w %	CAS No	EC No	Index No	REACH reg. No	Chemical Name	Classification (EC 1272/2008)
90-100	107-46-0	203-492-7	-	01-2119496108-31	Hexamethyl-disiloxane	Flam. Liq. 2;H225 Aquatic Acute 1;H400 (M=1)

Wording of H-statements - see section 16.

Section 4 First-AID measures

4.1 Description of first aid measures

Inhalation: Move the affected person to fresh air. Keep at rest. If needed: Get medical attention.

Skin Contact: This product is intended to be in contact with the skin when used as directed in the instructions for use. In case of skin problems: Seek medical advice.

Eye Contact: Immediately flush with water or physiological salt water, holding eye lids open. Remember to remove contact lenses, if any. If irritation persists: Seek medical advice.

Ingestion: Rinse mouth and drink plenty of water. **Do not induce vomiting.** If vomiting occurs keep head down to avoid vomit in the lungs. In case of discomfort: Seek medical advice.

Burns: Flush with water until pain ceases. Remove clothes that are not burnt to the skin. If needed seek medical attention, continue to flush on the way.

4.2 Most important symptoms and effects, both acute and delayed

May cause irritation to skin, eyes and respiratory tract.

4.3 Indication of any immediate medical attention and special treatment needed

Show this Safety Data Sheet to a physician or emergency ward.

Brava® Adhesive Remover Spray

Section 5

Fire fighting measures

5.1 Suitable extinguishing media

Use water spray, carbon dioxide, dry chemical or foam.

5.2 Special hazards arising from the substance or mixture

Do not inhale smoke fumes.

In case of fire, the product may form hazardous decomposition products: Primarily oxides of carbon, nitrogen and silica. Vapours may form explosive mixtures with air. Take precautionary measures against static discharge.

5.3 Advice for firefighters

Remove aerosol dispensers if possible or keep dispensers cool by spraying with water. Use breathing apparatus with an independent source of air.

Section 6

Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment - see section 8. Remove sources of ignition. Ventilate area of leak or spill.

6.2 Environmental precautions

Do not empty into drains - see section 12. Inform appropriate authorities in accordance with local regulations.

6.3 Methods and materials for containment and cleaning up

Absorb spilled liquid with absorbent material and place in a suitable container with a lid for disposal. The spilled product produces an extremely slippery surface. Flush area of spill with plenty of water. Further handling of spillage - see section 13.

6.4. Reference to other sections

Reference to other sections: See references above.

Section 7

Handling and storage

7.1 Precautions for safe handling

Avoid breathing vapours/spray/mists. Provide adequate ventilation.

Avoid contact with eyes.

Never to be handled close to fire, heat, sparks and hot surfaces - No smoking.

Do not expose to temperatures exceeding 50 °C/122 °F.

Do not spray on an open flame or other ignition source.

Take precautionary measures against static discharge.

Do not empty into drains.

7.2 Conditions for safe storage, including any incompatibilities

Brava® Adhesive Remover Spray

Keep out of reach of children, and separated from food, feed etc.
Store in a cool and ventilated area. Protect from sunlight.
Aerosol dispensers should be stored safely, so as to pose least possible hazard to the environment, and not be subject to damage or extreme conditions.
Storage must be in compliance with all regulatory requirements pertaining to aerosol dispensers.

7.3 Specific end use(s)

See section 1.2.

Section 8

Exposure controls/personal protection

8.1 Control parameters

Denmark (AT): None

PNEC:	Medium	Value
	Freshwater	0,002 mg/l
	Seawater	0,0002 mg/l
	Intermittent release	0,003 mg/l
	Sediment freshwater	1,7 mg/kg
	Sediment seawater	0,17 mg/kg
	Soil	0,083 mg/kg
	STP	10 mg/l

DNEL:	Exposure	Value	Population	Effects
	Long term, inhalation	890 mg/m ³	Worker	Systemic
	Long term, dermal	126 mg/kg/bw/d	Worker	Systemic
	Long term, inhalation	266 mg/m ³	Gen.Popul.	Systemic
	Long term, dermal	25 mg/kg/bw/d	Gen.Popul.	Systemic

8.2 Exposure controls

Appropriate engineering measures: Provide adequate ventilation.

Personal protective measures:

Inhalation: In case of inadequate ventilation: Use an approved mask (EN 140) with gas filter type A (brown - for organic vapors). The filter has a limited lifetime and must be changed. Read the instruction.

Skin: Gloves are not normally required.

Eyes: Tightly fitting safety goggles when there is risk of eye contact (EN 166).

Environmental exposure controls: See section 6 and 13.

Section 9

Physical and chemical properties

9.1 Information on basic physical and chemical properties

Brava® Adhesive Remover Spray

Appearance:	Colorless liquid in an aerosol dispenser
Odour:	Characteristic
pH:	Not determined
Melting point / freezing point (°C):	-68 (Hexamethyldisiloxane)
Initial boiling point and boiling range (°C):	100 (Hexamethyldisiloxane)
Decomposition temperature (°C):	Not determined
Flash point (°C):	-3.3 (Hexamethyldisiloxane)
Evaporation rate:	Not determined
Flammability (solid, gas):	Not relevant
Upper/lower flammability or explosive limits (vol-%):	1.5-14.65 (Hexamethyldisiloxane)
Vapour pressure (kPa, 20°C):	4.2 (Hexamethyldisiloxane)
Vapour density (air=1):	Not determined
Relative density (g/ml, 25°C):	0.76 (Hexamethyldisiloxane)
Solubility:	Not miscible with water
Partition coefficient: n-octanol/water, Log K _{ow} :	4.76
Autoignition temperature (°C):	352 (Hexamethyldisiloxane)
Viscosity (mm ² /s, 25°C):	0.65 (Hexamethyldisiloxane)
Explosive properties:	No. Vapours may form explosive mixtures with air
Oxidising properties:	Not relevant

9.2 Other information:

None relevant.

Section 10

Stability and reactivity

10.1 Reactivity

No available data.

10.2 Chemical stability

The product is stable under the advised storage conditions – see section 7.

10.3 Possibility of hazardous reactions

Vapors can be set on fire by sparks or hot surfaces. Vapors may form explosive mixtures with air. Vapors are at normal temperature heavier than air and may spread along the floor etc.

10.4 Conditions to avoid

Avoid creating sparks and hot surfaces including heating.

10.5 Incompatible materials

Exothermic reaction with oxidizing agents. Strong acid and strong alkali.

10.6 Hazardous decomposition products

When heated to high temperatures (decomposition), toxic gasses are formed such as oxides of carbon and nitrogen.

Section 11

Toxicological information

This product is a medical device and has been assessed in accordance with Directive 93/42/EEC on medical devices.

Brava® Adhesive Remover Spray

11.1 Information on toxicological effects

Toxicological data:

Hazard class	Data (Hexamethyldisiloxane)	Test	Reference
Acute toxicity: Inhalation Dermal Oral	LC ₅₀ (rat) = 106 mg/l/4H LD _{Lo} (rabbit) > 2000 mg/kg LD ₅₀ (rat) > 12160 mg/kg	OECD 403 OECD 402 No info.	ECHA diss. ECHA diss. ECHA diss.
Corrosion/irritation:	No skin irritation, rabbit No eye irritation, rabbit	No info. No info.	ECHA diss. ECHA diss.
Sensitization:	No skin sensitization, human	No info.	ECHA diss.
CMR:	No CMR effects.	Miscellaneous	ECHA diss.

Information on likely routes of exposure: Inhalation, skin and ingestion

Symptoms:

Inhalation: May cause irritation of the respiratory tract.
Skin: May cause irritation.
Eyes: May cause irritation with redness.
Ingestion: May cause irritation of the gastrointestinal tract with discomfort.
Chronic effects: None known.

Section 12

Ecological information

12.1 Toxicity

Brava® Adhesive Remover Spray

Aquatic	Data (Hexamethyldisiloxane)	Test (Medium)	Reference
Fish	LC ₅₀ (Oncorhynchus mykiss, 96h) = 0.46-3.02 mg/l	No info.	ECHA diss.
Crustaceans	EC ₅₀ (Daphnia magna, 48h) = 0.2 mg/l	No info.	ECHA diss.
Algae	EC ₅₀ (Pseudokirchnerella subcapitata, 70h) = 0.18 mg/l	No info.	ECHA diss.

12.2 Persistence and degradability

Hexamethyldisiloxane: No available data. The substance may cause long-term effects in the aquatic environment, if not evaporated into air.

12.3 Bioaccumulative potential

Hexamethyldisiloxane: $3 \leq \text{Log Kow} < 5$ - moderate bioaccumulative effect may be expected for the substance, if not evaporated into air.

12.4 Mobility in soil

Hexamethyldisiloxane:
K_{oc} > 350 - Medium to very low mobility in soil, if not evaporated into air.

12.5 Results of PBT and vPvB assessment

No ingredients are PBT/vPvB, according to the criteria in REACH Annex XIII.

12.6 Other adverse effects

None known.

Section 13

Disposal considerations

13.1 Waste treatment methods

The recommended disposal technology at any approved facility. The disposal should always be in compliance with national, federal, state and local regulations. The product should not be discharged to the environment.

European union

European Union: According to The European Waste Catalogue (EWC), in accordance with EC Directive 75/442/EEC, the following Waste Code can be used:

18 01 06 Chemicals containing hazardous substances.

15 02 02 absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances

However, if the waste in view of the prevention of infection needs special requirements, other Waste Codes should be used. It is the responsibility of the holder of the waste to determine the actual classification. Waste from private household may be disposed of together with other household waste.

Danish waste group (NORD): Z

Section 14

Transport information ADR / IMDG / IATA

14.1 UN-no.: 1950

14.2 UN proper shipping name: AEROSOLS, FLAMMABLE.

14.3 Transport hazard class(es): 2

Brava® Adhesive Remover Spray

14.4 Packing group:	-
14.5 Environmental hazards:	None.
14.6 Special precautions for user:	None.
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:	None EmS: F-E, S-E.

IATA

UN1950 AEROSOLS, FLAMMABLE LIQUID, 2.1. LQ = 1 I



Transportation on road in other countries than ADR-countries:

US: 49 CFR: UN1950 AEROSOL, FLAMMABLE, 2.1, LQ=1I

Canada: TGD: UN1950 AEROSOL, FLAMMABLE, 2.1, LQ=1I

Brazil: ANTT. 420 2004/2/12 with amendments: No marking (Special provision 190) / UN1950 AEROSOL, FLAMMABLE, 2.1, LQ=1I

Australia: ADG7: No marking (Special provision 190) / UN1950 AEROSOL, FLAMMABLE, 2.1, LQ=1I

New Zealand: NZS 5433: No marking (Special provision 190 in UN Model Regulation) / UN1950 AEROSOL, FLAMMABLE, 2.1, LQ=1I

Hongkong / China: UN1950 AEROSOL, FLAMMABLE. 2.1. LQ=1I

Section 15

Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Medical devices (93/42) is exempt from classification and labelling according to CLP (1272/2008).

Other labelling:

The product must be labelled according to the provisions laid down in the Council directive 93/42/EEC on Medical devices, Class I, and according to Council directive 75/324/EEC on Aerosol dispensers.

15.2 Chemical Safety Assessment:

CSR has been prepared for Hexamethyldisiloxane.

Section 16

Other information

H-statements mentioned in section 2 and 3:

H225: Highly flammable liquid and vapour.

H229: Pressurised container: May burst if heated.

H400: Very toxic to aquatic life.

Abbreviations:

At. = Arbejdstilsynet

CMR = Carcinogenicity, mutagenicity and reproductive toxicity

CSR = Chemical Safety Report

DNEL = Derived No-Effect Level

Brava® Adhesive Remover Spray

EC₅₀ = Effect Concentration 50 %
GPMT = Guinea Pig Maximization Test
LC₅₀ = Lethal Concentration 50 %
MAK = Maximale ArbeitsplatzKonzentrationen
PBT = Persistent, Bioaccumulative, Toxic
PNEC = Predicted No-Effect Concentration
vPvB = very Persistent, very Bioaccumulative

Literature references:

ECHA diss. = REACH Registreringsdossier from ECHA's homepage.
IUCLID = International Uniform Chemical Database Information

Legislation reference:

This SDS is prepared to comply with EC regulation no. 1907/2006 (REACH).
This product is assessed in accordance with Directive 93/42/EEC on Medical devices including Directive 1999/45/EC, Regulation (EC) no. 1272/2008 on classification, labelling and packaging and Directive 75/324/EEC on Aerosol dispensers.

Other information:

Prepared from the information, which was available to Sikma Consult on February 3rd 2014.

Changes since the previous edition:

Changes in section 1, 2, 5, 7, 9, 10, 15, 16.

THE ABOVE INFORMATION HAS BEEN COMPILED FROM SOURCES BELIEVED TO BE RELIABLE AND IS ACCURATE TO THE BEST OF OUR KNOWLEDGE. HOWEVER, COLOPLAST CORP. CANNOT GIVE ANY GUARANTEES REGARDING INFORMATION FROM OTHER SOURCES AND EXPRESSLY DOES NOT MAKE ANY WARRANTIES, NOR ASSUMES ANY LIABILITY, FOR ITS USE.

Signature Page for VV-0097295 v1.0

Approved by	DKPLYM Peter Lynge Madsen Senior Biosafety Specialist Technical / Specialist 04-Aug-2015 07:29:59 GMT+0000
-------------	---

Signature Page for VV-0097295 v1.0

Document Owner: DKPLYM Peter Lynge Madsen