



25. February 2015 Version 2.0

Safety Data Sheet

Based on template version 3.0

Section 1

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Brava® Adhesive Remover Wipe

3.2 ml Sachet wipe

Product code: 12011

1.2 Relevant identified uses of the substance or mixture and uses advised against

vised against

Product information: Medical device, Class I.

Wipes to be used for removal of adhesive medi-

cal devices from skin.

1.3 Details of the supplier of the safety data sheet:

Manufacturer: Coloplast A/S

Holtedam 1

DK-3050 Humlebaek

Denmark

Telephone +45 49111111 msds@coloplast.com

1.4 Emergency telephone number:

(DK) +45 82 12 12 12 (US) 1-800-222-1222 (CA) 1-877-820-7008

Section 2 Hazards identification

This product is regulated as a medical device in European Economic Area (EEA). In other regions it may be regulated as a medical device, a cosmetic or not regulated. The product is assessed and supplied with a safety data sheet in accordance with Regulation (EC) no 1272/2008. Labelling of the

USA

Coloplast Corp. 1601 West River Road N Minneapolis, MN 55411 Telephone: +1-800-533-0464 www.us.coloplast.com

Canada

Coloplast Canada Corporation 3300 Ridgeway Drive, Unit 12 Mississauga, Ont. L5L 5Z9 Telephone: +1-877-820-7008 www.coloplast.ca

Europe

Coloplast A/S Holtedam 1 DK-3050 Humlebaek

Telephone: +45 49 11 11 11 www.coloplast.com



product is prepared in accordance with Directive 93/42/EEC on medical devices and local legislation.

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008:

Flam. Liq. 2;H225 Aquatic Acute 1;H400

Wording of H-statements – see section 16.

2.2. Label elements

The product is a medical device in EAA and therefore the labelling elements from the CLP regulations do not apply, according to Regulation (EC) No 1272/2008, Title I, Article 1, Section 5.

The below illustrated pictograms, signal words and hazard statements are therefore only listed in the present MSDS and not necessarily present on the product labelling.

Pictogram(s): Signal word:



Danger

Hazard statement(s):

H225: Highly flammable liquid and vapour.

H400: Very toxic to aquatic life.

Precautionary statement(s):

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233: Hold beholderen tæt lukket.

P243: Take precautionary measures against static discharge.

P273: Avoid release to the environment.

2.3. Other hazards:

None

PBT/vPvB: No ingredients are PBT/vPvB, according to the criteria in REACH

Annex XIII.



Section 3

Composition/information on ingredients

3.2 Mixtures:

w/w %	CAS No	EC No	Index No	REACH reg. No	Chemical Name	Classification (EC 1272/2008)
90-95	107-46-0	203-492-7	i	01- 2119496108-31	,	Flam. Liq. 2;H225 Aquatic Acute 1;H400 (M=1)
1-10	107-51-7	203-497-7	-	-	Octamethyl- trisiloxane	Flam. Liq. 3;H226

Wording of H-statements - see section 16.

Section 4

First-AID measures

4.1 Description of first aid measures

Inhalation: Move the affected person to fresh air. Keep at rest. If needed: Get medical attention.

Skin Contact: This product is intended to be in contact with the skin when used as directed in the instructions for use. In case of skin problems: Seek medical advice.

Eye Contact: Immediately flush with water or physiological salt water, holding eye lids open. Remember to remove contact lenses, if any. If irritation persists: Seek medical advice.

Ingestion: Rinse mouth and drink plenty of water. **Do not induce vomiting.** If vomiting occurs keep head down to avoid vomit in the lungs. In case of discomfort: Seek medical advice.

Burns: Flush with water until pain ceases. Remove clothes that are not burnt to the skin. If needed seek medical attention, continue to flush on the way.

4.2 Most important symptoms and effects, both acute and delayed

May cause irritation to skin, eyes and respiratory tract.

4.3 Indication of any immediate medical attention and special treatment needed

Show this Safety Data Sheet to a physician or emergency ward.

Section 5

Fire fighting measures

5.1 Suitable extinguishing media

Use water spray, carbon dioxide, dry chemical or foam.

5.2 Special hazards arising from the substance or mixture

Do not inhale smoke fumes. In case of fire, the product may form hazardous decomposition products: Primarily oxides of carbon and nitrogen. Take precautionary measures against static discharge.



5.3 Advice for firefighters

Remove containers if possible or keep containers cool by spraying with water. Use breathing apparatus with an independent source of air.

Section 6

Accidental release measures

6.1 Personal precautions, protective equipment and emergency proce-

Use personal protective equipment - see section 8. Remove sources of ignition.

6.2 Environmental precautions

Do not empty into drains - see section 12. Inform appropriate authorities in accordance with local regulations.

6.3 Methods and materials for containment and cleaning up

Place in a suitable container for disposal. Further handling of spillage - see section 13.

6.4. Reference to other sections

See references above.

Section 7

Handling and storage

7.1 Precautions for safe handling

Avoid breathing vapours. Provide adequate ventilation. Avoid contact with eyes. Never to be handled close to fire, sparks and hot surfaces -No smoking. Do not empty into drains.

7.2 Conditions for safe storage, including any incompatibilities

Storage must be in compliance with all regulatory requirements pertaining to flammable liquids. Danish storage requirements: Store securely and out of reach of unauthorized personnel, and separated from food, feed etc.

10 mg/l

7.3 Specific end use(s)

See section 1.2.

Section 8

Exposure controls/personal protection

8.1 Control parameters

Denmark (AT): None

PNEC:	Medium	Value
	Freshwater	0,002 mg/l
	Seawater	0,0002 mg/l
	Intermittent release	0,003 mg/l
	Sediment freshwater	1,7 mg/kg
	Sediment seawater	0,17 mg/kg
	Soil	0,083 mg/kg
	STP	10 mg/l

DNEL:	Exposure	Value	Population	Effects Property of the Effects	
	Long term, inhalation	890 mg/m ³	Worker	Systemic	



Long term, dermal 126 mg/kg/bw/d Worker Systemic Long term, inhalation 266 mg/m³ Gen.Popul. Systemic Long term, dermal 25 mg/kg/bw/d Gen.Popul. Systemic

8.2 Exposure controls

Appropriate engineering measures: Provide adequate ventilation.

Personal protective measures:

Inhalation: In case of inadequate ventilation: Use an aproved

mask (EN 140) with gas filter type A (brown - for organic vapors). The filter has a limited lifetime and must be changed. Read the instruction.

Skin: Gloves are not normally required.

Eyes: Tightly fitting safety goggles when there is risk of eye contact

(EN 166).

Environmental exposure controls: See section 6 and 13.

Section 9

Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Colorless liquid absorbed in wipe

Odour: Characteristic pH: Not determined

Melting point / freezing point (°C):

Initial boiling point and boiling range (°C):

-68 (Hexamethyldisiloxane)

Decomposition temperature (°C): Not determined

Flash point (°C): -6 (Hexamethyldisiloxane)

Evaporation rate: Not determined Flammability (solid, gas): Not relevant

Upper/lower flammability or explosive limits (vol-%):

Vapour pressure (kPa, 20°C):

0.7-26 (Hexamethyldisiloxane)

Vapour density (air=1): Not determined

Relative density (g/ml, 25°C): 0.76 (Hexamethyldisiloxane)
Solubility: Not miscible with water

Partition coefficient: n-octanol/water, Log Kow: > 4

Autoignition temperature (°C): 340 (Hexamethyldisiloxane) Viscosity (mm2/s, 25°C): 0.65 (Hexamethyldisiloxane)

Explosive properties: Not determined Oxidising properties: Not relevant

9.2 Other information:

None relevant.

Section 10

Stability and reactivity

10.1 Reactivity

No available data.

10.2 Chemical stability

The product is stable under the advised storage conditions – see section 7.

10.3 Possibility of hazardous reactions

Take precautionary measures against static discharges. Keep away from sources of



ignition - No smoking.

10.4 Conditions to avoid

Avoid creating sparks and hot surfaces including heating.

10.5 Incompatible materials

Exothermic reaction with oxidizing agents. Strong acid and strong alkali.

10.6 Hazardous decomposition products

When heated to high temperatures (decomposition), toxic gasses are formed such as oxides of carbon and nitrogen.

Section 11

Toxicological information

This product is a medical device and has been assessed in accordance with Directive 93/42/EEC on medical devices.

11.1 Information on toxicological effects

Toxicological data:

Hazard class	Data (Hexamethyldisiloxane)	Test	Reference
Acute toxicity: Inhalation Dermal Oral	LC ₅₀ (rat) = 106 mg/l/4H LD _{Lo} (rabbit) > 2000 mg/kg LD ₅₀ (rat) > 12160 mg/kg	OECD 403 OECD 402 No info.	ECHA diss. ECHA diss. ECHA diss.
Corrosion/irritation: Sensitization:	No skin irritation, rabbit No eye irritation, rabbit No skin sensitization, human	No info. No info. No info.	ECHA diss. ECHA diss. ECHA diss.
CMR:	No CMR effects.	Miscellaneous	ECHA diss.

Information on likely routes of exposure: Inhalation, skin and ingestion Symptoms:

Inhalation: May cause irritation of the respiratory tract.

Skin: May cause irritation.

Eyes: May cause irritation with redness.

Ingestion: May cause irritation of the gastrointestinal tract with discomfort.

Chronic effects: None known.

Section 12

Ecological information

12.1 Toxicity

Aquatic	Data (Hexamethyldisiloxane)	Test (Mediu)	Reference
Fish	LC ₅₀ (Oncorhynchus mykiss, 96h) = 0.46-3.02 mg/l	No info.	ECHA diss.
Crustacean	EC ₅₀ (Daphnia magna, 48h) = 0.2 mg/l	No info.	ECHA diss.
S			
Algea	EC ₅₀ (Pseudokirchnerella subcapitata, 70h) = 0.18 mg/l	No info.	ECHA diss.



12.2 Persistence and degradability

Hexamethyldisiloxane: Poorly biodegradable. The substance may cause longterm effects in the aquatic environment, if not evaporated into air.

12.3 Bioaccumulative potential

Hexamethyldisiloxane: $3 \le \text{Log Kow} < 5$ - moderate bioaccumulative effect may be expected for the substance, if not evaporated into air.

12.4 Mobility in soil

Hexamethyldisiloxane:

 $K_{oc} > 350$ - Medium to very low mobility in soil, if not evaporated into air.

12.5 Results of PBT and vPvB assessment

No ingredients are PBT/vPvB, according to the criteria in REACH Annex XIII.

12.6 Other adverse effects

None known.

Section 13

Disposal considerations

13.1 Waste treatment methods

The recommended disposal technology at any approved facility. The disposal should always be in compliance with national, federal, state and local regulations. The product should not be discharged to the environment.

European union

European Union: According to The European Waste Catalogue (EWC), in accordance with EC Directive 75/442/EEC, the following Waste Code can be used:

18 01 06 Chemicals containing hazardous substances.

15 02 02 absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances

However, if the waste in view of the prevention of infection needs special requirements, other Waste Codes should be used. It is the responsibility of the holder of the waste to determine the actual classification. Waste from private household may be disposed of together with other household waste. Danish waste group (NORD): H

Section 14

Transport information ADR / IMDG / IATA

2.5 ML WIPE NOT RESTRICTED, AS PER SPECIAL PROVISION 216 (ADR/IMDG) 2.5 ML WIPE NOT RESTRICTED, AS PER SPECIAL PROVISION A46 (IATA)

14.1 UN-no.: 3175

14.2 UN proper shipping name: SOLIDS CONTAINING FLAM-

MABLE LIQUID, N.O.S. (HEXA-

METHYLDISILOXANE)

14.3 Transport hazard class(es): 4.1
14.4 Packing group: II
14.5 Environmental hazards: Yes.



14.6 Special precautions for user: None.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the

IBC Code: None

EmS: F-E, S-E.

Transportation on road in other countries than ADR-countries:

US: UN3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (HEXAMETHYL-

DISILOXANE) 4.1, PGII, MP

Canada: UN3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S./ SOLIDES CONTENANT DU

LIQUIDE INFLAMMABLE, N.S.A. (HEXAMETHYLDISILOXANE) 4.1, PGII, MP

Brazil: UN3175 SÓLIDOS CONTENDO LÍQUIDO INFLAMÁVEL, N.E. (HEXAMETHYLDISILOXANE) 4.1, PGII, MP

Australia: UN3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (HEXAMETHYL-

DISILOXANE) 4.1, PGII, MP

New Zealand: UN3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (HEXA-

METHYLDISILOXANE) 4.1, PGII, MP

Hongkong / China: UN3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (HEXA-

METHYLDISILOXANE) 4.1, PGII, MP./ 含易燃液体的固体, 未另列明的 (HEXAMETHYL-

DISILOXANE)

Section 15

Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Medical devices (93/42) is exempt from classification and labelling according to CLP (1272/2008).

Other labelling:

The product must be labelled according to the provisions laid down in the Council directive 93/42/EEC on Medical devices. Class I.

15.2 Chemical Safety Assessment:

CSR has been prepared for Hexamethyldisiloxane.

Section 16

Other information

H-statements mentioned in section 2 and 3:

H225: Highly flammable liquid and vapour.

H226: Flammable liquid and vapour.

H400: Very toxic to aquatic life.

Abbreviations:

At. = Arbejdstilsynet

CMR = Carcinogenicity, mutagenicity and reproductive toxicity

CSR = Chemical Safety Report

DNEL = Derived No-Effect Level

EC₅₀ = Effect Concentration 50 %

GPMT = Guinea Pig Maximization Test

LC₅₀ = Lethal Concentration 50 %

MAK = Maximale ArbeitsplatzKonzentrationen

PBT = Persistent, Bioaccumulative, Toxic

PNEC = Predicted No-Effect Concentration

vPvB = very Persistent, very Bioaccumulative

Literature references:

8/9



ECHA diss. = REACH Registration dossiers from ECHA's homepage. IUCLID = International Uniform Chemical Database Information

Legislation reference:

This SDS is prepared to comply with EC regulation no. 1907/2006 (REACH). This product is assessed in accordance with Directive 93/42/EEC on Medical devices including Directive 1999/45/EC and Regulation (EC) no. 1272/2008 on classification, labelling and packaging.

Other information:

Prepared from the information, which was available to Altox a/s on December 18th 2013.

Changes since the previous edition:

Not relevant.

THE ABOVE INFORMATION HAS BEEN COMPILED FROM SOURCES BELIEVED TO BE RELIABLE AND IS ACCURATE TO THE BEST OF OUR KNOWLEDGE. HOW-EVER, COLOPLAST CORP. CANNOT GIVE ANY GUARANTEES REGARDING INFORMATION FROM OTHER SOURCES AND EXPRESSLY DOES NOT MAKE ANY WARRANTIES, NOR ASSUMES ANY LIABILITY, FOR ITS USE.

Signature Page for VV-0097297 v1.0

Approved by	DKPLYM Peter Lynge Madsen Senior Biosafety Specialist
	Technical / Specialist 04-Aug-2015 07:35:18 GMT+0000

Signature Page for VV-0097297 v1.0

Document Owner: DKPLYM Peter Lynge Madsen

Document Number: VV-0097297 Status: Effective Version: 1.0 Name: SDS Brava Adhesive Remover Wipe 12011