



SAFETY DATA SHEET

Section 1. Product And Company Identification

Product Name: EMPOWER® Fragrance Free

Product Use: Dual Enzymatic Detergent.

Manufacturer: METREX® RESEARCH
1717 W. Collins Ave.
Orange, CA 92867
U.S.A.

Information Phone Number: 1-800-841-1428 (Customer Service)

Canadian Importer: Sybron Canada LP
250 First Gulf Boulevard
Brampton ON L6W4T5
Canada
(714) 516-7788

Chemical Emergency Phone Number (Chemical Spills, Leaks, Fire, Exposure or Accident only):
CHEMTREC 1-800-424-9300 (in the US) 1-703-527-3887 (Outside the US)
In Canada Canutec: 1 (613) 996-6666 (24 hours)

SDS Date Of Preparation/Revision: September 13, 2018

Section 2. Hazards Identification

GHS / HAZCOM 2012 Classification:
Respiratory Sensitization Category 1

Label Elements:

Danger!



May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Prevention:

Avoid breathing mist, vapors or spray.

In case of inadequate ventilation wear respiratory protection.

Response:

IF INHALED: remove person to fresh air and keep comfortable for breathing.

If experiencing respiratory symptoms: Call a POISON CENTER or doctor.



Disposal:

Dispose of contents and container in accordance with local and national regulations.

Other Hazards: None identified

Section 3. Composition/Information On Ingredients
--

Component	CAS No.	Amount
Water and non-hazardous ingredients	Mixture	50-60%
Propylene glycol	57-55-6	10-35%
Trisodium Citrate Dihydrate	68-04-2	5-10%
Proteinase subtilisin	9014-01-1	0.1-1%

Section 4. First Aid Measures

Eye Contact: Hold eye open and rinse slowly and gently with water for several minutes. Remove contact lenses, if present, then continue rinsing. Seek medical attention if irritation develops and persists.

Skin Contact: Wash with soap and water. Seek medical attention if irritation develops and persists. Remove and launder contaminated clothing.

Inhalation: Move to fresh air. Get immediate medical attention if breathing is difficult.

Ingestion: Rinse mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Seek medical advice by calling a Poison Center or doctor.

Most important symptoms and effects, acute and delayed: May cause eye and skin irritation. Inhalation of mists may cause irritation of the mucous membranes and upper respiratory tract. Inhalation of mists may cause an allergic asthmatic reaction, particularly in sensitized individuals. Allergic inhalation reaction can cause difficulty breathing, closed throat, and may be fatal.

Indication of immediate medical attention and special treatment, if needed: Immediate medical attention is required if experiencing respiratory problems.

Section 5. Fire Fighting Measures
--

Suitable (and Unsuitable) Extinguishing Media: Use any extinguishing media that is appropriate for the surrounding fire. Cool fire exposed containers with water.

Specific Hazards Arising from the Chemical: Thermal decomposition will produce carbon monoxide, carbon dioxide, nitrogen oxides, and hydrocarbons.

Special Protective Equipment and Precautions for Fire-fighters: Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored.

Section 6. Accidental Release Measures

Personal precautions, Protective equipment, and Emergency procedures: Wear appropriate protective clothing and equipment. Ventilate area.

Methods and Materials for Containment and Cleaning up: Collect material with an inert absorbent material and place in appropriate, labeled container for disposal.

Section 7. Handling and Storage

Precautions for Safe Handling: Avoid contact with eyes, skin and clothing. Avoid generating and breathing mists. Wear appropriate eye protection when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Conditions for Safe Storage, Including any Incompatibilities: Store at room temperature.

Section 8. Exposure Controls / Personal Protection**Exposure Limits:**

Chemical	Exposure Limit
Water and non-hazardous ingredients	None Established
Propylene glycol	10 mg/m ³ TWA AIHA WEEL 10 mg/m ³ TWA Ontario OEL (as particulate) 155 mg/m ³ TWA Ontario OEL (as total vapor and particulates)
Trisodium Citrate Dihydrate	None Established
Proteinase subtilisin	0.00006 mg/m ³ (as 100% crystalline active pure enzyme) TWA ACGIH Ceiling Limit (Alberta, British Columbia, Manitoba, New Brunswick, Newfoundland, Labrador, Nova Scotia, Nunavut, Prince Edward Island, Saskatchewan, Ontario; Quebec, Northwest Territories, Yukon)

Appropriate Engineering Controls: General ventilation should be adequate for normal use. For operations where the exposures are excessive, mechanical ventilation such as local exhaust may be needed to minimize exposure.

Respiratory Protection: None under normal use conditions with adequate ventilation. For operations where the occupational exposure limits are exceeded, an approved respirator with particulate cartridges is recommended. Equipment selection depends on contaminant type and concentration. Select in accordance with applicable regulations and good industrial hygiene practice. For firefighting, use self-contained breathing apparatus.

Hand protection: Impervious gloves such as butyl rubber or nitrile are recommended if needed to avoid prolonged/repeated skin contact.



Eye Protection: Safety goggles are recommended if needed to prevent eye contact.

Skin Protection: Wear protective clothing if needed to avoid prolonged/ repeated skin contact.

Hygiene measures: Suitable eye wash and washing facilities should be available in the work area.

Section 9. Physical and Chemical Properties

Appearance:	Clear blue liquid.	Odor:	Odorless
Odor Threshold:	Not determined	pH:	7.5-8.5
Melting/Freezing Point:	Not determined	Boiling Point/Range:	212-221°F (100-105°C)
Flash Point:	Not flammable	Evaporation Rate:	<1
Flammability: (Solid, Gas)	Not applicable	Flammability Limits:	Not applicable
Vapor Pressure:	Same as water	Vapor Density:	Same as water
Relative Density:	>1.07	Solubilities:	Completely soluble
Partition Coefficient: (N-Octanol/Water)	Not determined	Autoignition Temperature:	Not determined
Decomposition Temperature:	Not determined	Viscosity:	Not available

Section 10. Stability and Reactivity

Reactivity: Not reactive at ambient temperatures.

Chemical Stability: Stable.

Possibility of Hazardous Reactions: Not reactive.

Conditions to avoid: Avoid excessive heat.

Incompatible Materials: Strong oxidizing agents, strong acids and bleach.

Hazardous decomposition products: Thermal decomposition will produce carbon monoxide, carbon dioxide, nitrogen oxides, and hydrocarbons.

Section 11. Toxicological Information

Potential Health Effects:

Inhalation: May cause minor irritation of the nose, throat and upper respiratory tract. Inhalation of mists may cause an allergic reaction in individuals sensitized to enzymes. Allergic inhalation reaction may cause difficulty breathing, closed throat, and may be fatal.

Skin Contact: Prolonged or repeated exposure may cause mild skin irritation.

Eye Contact: May cause eye irritation with tearing, redness and pain.

Ingestion: Ingestion may cause gastrointestinal disturbances.

Chronic Hazards: None currently known.



Sensitization: Inhalation studies with guinea pigs showed proteinase subtilisin caused respiratory sensitization.

Mutagenicity: None of the components have been shown to cause mutagenic activity.

Developmental / Reproductive Toxicity: This product is not expected to cause adverse reproductive or developmental effects.

Carcinogen: None of the components is listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH, or OSHA.

Acute Toxicity Values:

Propylene Glycol: LD50 Oral Rat 20,000 – 34,000 mg/kg; LD50 Dermal Rabbit >20,000 mg/kg

Trisodium Citrate Dihydrate: No data available.

Proteinase subtilisin: LD50 Oral Rat 1800 mg/kg

Section 12. Ecological Information

Toxicity: No toxicity data available for product.

Propylene Glycol: 96 hr LC50 Oncorhynchus mykiss 40613 mg/L, 48 hr Ceriodaphnia dubia 18340 mg/L, 72 hr EC50 algae 19300 mg/L

Trisodium Citrate Dihydrate: No toxicity data available

Proteinase subtilisin: 96 hr LC50 Oncorhynchus mykiss 14.6 mg/L, 48 hr LC50 daphnia magna 0.306 mg/L, 72 hr EC50 algae 830 µg/L.

Persistence and degradability: Propylene glycol and Proteinase subtilisin are readily biodegradable. Trisodium Citrate Dihydrate is inherently biodegradable.

Bioaccumulative Potential: Propylene glycol and trisodium citrate dehydrate have a BCF of <1.

Mobility in Soil: No data available for product.

Other Adverse Effects: None known

Section 13. Disposal Considerations
--

Solution Disposal: For unused solution, flush thoroughly with large quantities of water into sewage disposal system in accordance with Federal, State, and local regulations. For used solution, the waste solution must be characterized by the generator and disposed of in accordance with Federal, State, and local regulations.

Container Disposal: Do not reuse empty container. Wrap container and put in trash.

Section 14. Transport Information
--

	UN Number	UN Proper Shipping Name	Hazard Class(s)	Packing Group	Environmental Hazards
U.S. DOT	None	Not Regulated			None
Canada	None	Not Regulated			None



TDG					
IMDG	None	Not Regulated			None
IATA/ICAO	None	Not Regulated			None

Section 15. Regulatory Information

U.S. Federal Regulations:

EPA SARA 311/312 Hazard Classification: See OSHA Hazard Classification in Section 2.

EPA SARA 313: This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

Protection Of Stratospheric Ozone: This product is not known to contain or to have been manufactured with ozone depleting substances as defined in 40 CFR Part 82, Appendix A to Subpart A.

CERCLA SECTION 103: This product is not subject to CERCLA reporting requirements; however, many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

EPA TSCA Inventory: All of the components of this material are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory or exempt.

Canadian Regulations

National Pollutant Release Inventory (NPRI): This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements NPRI: None

Section 16. Other Information

Effective Date: September 13, 2018

Supersedes Date: November 19, 2012

Revision Summary: Converted MSDS to GHS SDS.

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date of preparation, however, METREX® RESEARCH makes no warranty with respect to the accuracy or suitability of the recommendations, and assumes no liability to any use thereof.